Asthetic surgery

Rhinoplasty

Is Aesthetic surgery of the nose, in which the patient Ask for changes to his nose, to correct a deformity or to improve his appearance.

The surgeon execute techniques that manipulate bone, cartilage, soft tissue in order to produce results blend harmoniously with the rest of the face


Aim is to augment beauty and eliminate the unwanted points from the nose.


Tips about Rhinoplasty

- Rhinoplasty dose not give some one the nose of other one
- It dose not change the face of the patient but improve his appearance
- it`s done for deformed noses or normal noses


Tip modifications

TIP projection












Tip modifications


TIP width







Dorsal dehumping








Alar Base Reduction





Septoplasty

















Pre op


Post op





Post op

Post op 1 month






Pre op

Post op

Septo- Rhinoplasty






Before

After

Septo- Rhinoplasty





Before

After

Septo- Rhinoplasty





Before

After

Post op complications

Aesthetic complications

- over resection of the dorsum
- Under resection of the dorsum
- Deviation
- Mal position

Non specific complications

- Hematomas
- Bleeding
- Infection
- Prominent scars
- Skin necrosis
- Mucosal scaring


Abdominoplasty And liposuction

Abdominoplasty: Aesthetic surgery of the abdomen that include resection of the excess skin and fat


Liposuction: is aspiration of the excess fat from the abdomen or any part of the body


	Abdominoplasty	Liposuction
Procedure	Resection	Aspiration
Component included	Skin and fat	Fat only
Skin quality	Used if the skin excess is sever and lax skin	Used if the skin quality and turger is good
Age of the patient	Middle age group	Young age group
pregnancy	Multiparus patient	Niliparous and unmarride

Abdominoplasty



Abdominoplasty





Liposuction



Post operative course

The patient will need to move at the 1st post op day to reduce complications
Foley catheter removed at morning

The patient will show edema in the op site that may take weeks to months to disappear

There may be accommodis and bruises at the op sit that take 2. 4 weeks

There may be ecchymosis and bruises at the op sit that take 3-4 weeks

The patient is encouraged to wear pressure garment

Stitches removed 1–2 weeks post op

The patient Usually kept on antibiotics

Complications

- Aesthetic unfavorable results (complications)
 - **Abdominoplasty**
- 1. Visible, wide scare
- 2. Malpossition, Malshape of the umbilicus 2- generalized over reduction
- 3. Necrosis of skin, wound dehiscence
- Non specific complications (for both)
 - 1. wound infection
 - 2. Wound dehiscence
 - 3. Hematomas
 - 4. Seromas
 - 5. Sensory nerve damage
- General complications (for both)
 - 1. Fat embolism
 - 2. DVT
 - 3. pulmonary embolism

- liposuction
- 1 indentation, grooving
- 3- under correction

- 4. viscus perforation
 - 5. xylocain toxicity
- 6. Death